



1. Navigate to the configurator webpage on your cellphone or computer:  
<http://www.concentricab.com/index-Concentric-Hydraulics-PARTS.asp>

2. Enter account email and password when prompted or register at PARTcommunity.




2A. If you need to register for an account fill in the information and scroll down to press register.

HOME ABOUT US NEWS & MEDIA PRODUCTS MARKETS APPLICATIONS SUSTAINABILITY WORLDWIDE CONTACT

## Concentric Hydraulic Product Configurator

[Create Free Account](#)

### Account Data

Email \*  
Password \*  
Confirm Password \*  
Avatar 

### Personal Information

Title \*  
First name \*  
Last name \*  
Company \*  
Country \*  
Street  
ZIP  
City \*  
State/Area  
Phone  
Fax

### General Preferences

Language  
Time zone \*


### License Agreement

I hereby agree to receive information by e-mail about CADENAS innovations from my industry in the future. I understand that I can withdraw my consent at any time without giving any reasons. Further information about data protection can be obtained in the [data protection declaration](#) and the [data protection notice](#).

I hereby consent, that the manufacturers, whose CAD models I have downloaded, can contact me for promotional purposes, using the contact information from above. I am aware, that I can always revoke my consent from the manufacturer. A contact address for this purpose is attached to each catalog.

\* I hereby consent to the processing (collection, storage and use) of my personal data according to the [data protection declaration](#) and the [data protection notice](#) made known to me. I have read the [terms of use](#) of the PARTcommunity forum and hereby also declare my consent.

\* Required fields

powered by | [Legal notice](#) | [Data privacy policy](#) | [Cookie settings](#) | DE-228 | 

After submitting information, check email account for activation link and click OK to continue in the configurator.

HOME ABOUT US NEWS & MEDIA PRODUCTS MARKETS APPLICATIONS SUSTAINABILITY WORLDWIDE CONTACT

## Concentric Hydraulic Product Configurator

Created Free Account

sid.moate@concentricab.com

If you don't receive the registration email then please check your spam filter or contact [Junk E-Mail](#) and we will sort it out for you!

**OK**

powered by | Legal notice | Data privacy policy | Cookie settings | DE-228 |

3. Select the product group you wish to configure from the list of products.

HOME ABOUT US NEWS & MEDIA PRODUCTS MARKETS APPLICATIONS SUSTAINABILITY WORLDWIDE CONTACT

## Concentric Hydraulic Product Configurator

 Copyright 14.11.2019	 F20 single pumps - F20 Single Pumps 10.12.2019	 F30 single pumps - F30 Single Pumps 10.12.2019	 GC SERIES PUMP - GC SERIES PUMP 21.11.2019	 W900 Series Hydraulic Pump - W900 Series Hydraulic Pump 20.01.2020
-----------------------------	--	--	--	--

powered by | Legal notice | Data privacy policy | Cookie settings | DE-228 |

4. Configure component per the features in the left drop down menus. If you change a feature, you will need to update the 3D preview on the right by clicking Update Preview button. From there you can view the 3D model and see the model code and part number if applicable in the left table.

Home Back Concentric Rockford

Selectable products: 1

PN Part Number	G2104A1A100N00	🔒
MFO Mounting Flange Options	2-Bolt SAE "AA" w/2.0"Pilot	▼
SO Shaft Options	0.171" Tang w/ Short Coupling (.5" long) (For DC motors)	▼
GS Gear Size Width	0.125	▼ Inch
DIS Displacement	0.065 (1.07)	▼ Cu. In./Rev. (cc) 🔒
VO Valve Options	No Valves	▼
SBO Seals & Bearings Options	Single Lip Buna-N Low Pressure Seal	▼
PLO Port Location Options	SAE Side Ports	▼
RO Rotation Options	Clockwise	▼
NOTE Port Location Note	-	▼ 🔒
RVS Relief Valve Setting	No Relief	▼ 🔒
SVL Solenoid Valve Location	No Solenoid Valve	▼ 🔒
SVV Solenoid Valve Voltage	No Solenoid Valve Cavity	▼ 🔒
QSPN Quick Ship Part Number	N/A	▼ 🔒

Generate CAD Generate PDF datasheet

The preview does not represent the part configuration anymore.  
You have to generate a new preview.

3D model view icons:

5. Once satisfied with your configuration, to download 3D models click the Generate CAD button.

HOME ABOUT US NEWS & MEDIA PRODUCTS MARKETS APPLICATIONS SUSTAINABILITY WORLDWIDE CONTACT

Concentric Rockford

**Generates 3D models** **Changes 3D formats**

Selectable products: 1

PN  
Part Number G2104A1A100N00

MFO  
Mounting Flange Options 2-Bolt SAE "AA" w/2.0"Pilot

SO  
Shaft Options 0.171" Tang w/ Short Coupling (.5" long) (For DC motors)

GS  
Gear Size Width 0.125 Inch

DIS  
Displacement 0.065 (1.07) Cu. In./Rev. (cc)

VO  
Valve Options No Valves

SBO  
Seals & Bearings Options Single Lip Buna-N Low Pressure Seal

PLO  
Port Location Options SAE Side Ports

RO  
Rotation Options Clockwise

NOTE  
Port Location Note

RVS  
Relief Valve Setting No Relief

SVL  
Solenoid Valve Location No Solenoid Valve

SVV  
Solenoid Valve Voltage No Solenoid Valve Cavity

QSPN  
Quick Ship Part Number N/A


Generate CAD

Generate PDF datasheet


Update preview

The preview does not represent the part configuration anymore.  
You have to generate a new preview.

5A. To change the CAD formats to be downloaded, click the little list icon next to the Generate CAD button. Select Add Formats button to change the formats you want downloaded. You can also click on the Settings and Layers & Views tabs at the top for more options and features.



Click the Save button to return to the previous configuration screen. Press the Start Generation button to generate the CAD models as selected.



If you clicked the Save button click the Generate CAD button again at the main configurator screen to download the 3D models.

5B. It may take a minute for the configurator to load the 3D models. If you have more than one CAD format selected it may take longer to download. Once ready click the download button to download the 3D models.

HOME ABOUT US NEWS & MEDIA PRODUCTS MARKETS APPLICATIONS SUSTAINABILITY WORLDWIDE CONTACT

## Concentric Hydraulic Product Configurator

Concentric Rockford

Selectable products: 1

PN Part Number	G1104A1A100N00	🔒
MFO Mounting Flange Options	4-Bolt w/1.78" Pilot	⌵
SO Shaft Options	0.171" Tang w/ Short Coupling (.5" long) (For DC motors)	⌵
GS Gear Size Width	0.125	Inch ⌵
DIS Displacement	0.065 (1.07)	Cu. In./Rev. (cc) 🔒
VO Valve Options	No Valves	⌵
SBO Seals & Bearings Options	Single Lip Buna-N Low Pressure Seal	⌵
PL0 Port Location Options	SAE Side Ports	⌵
RO Rotation Options	Clockwise	⌵
NOTE Port Location Note	-	🔒
RVS Relief Valve Setting	No Relief	⌵ 🔒
SVL Solenoid Valve Location	No Solenoid Valve	⌵ 🔒
SVV Solenoid Valve Voltage	No Solenoid Valve Cavity	⌵ 🔒
QSPN Quick Ship Part Number	N/A	🔒

Generate CAD

Generate PDF datasheet

G1104A1A100N00 (CAD)

Download Information Delete

3D model view controls: Rotate, Pan, Zoom, etc.

If you want more information on the files click the Information button, otherwise if you would like to change the CAD type click the Delete button and reconfigure as needed.

6. The CAD models will be delivered in a compressed ZIP folder to your computer. Unzip the folder and use the models as you see fit! Depending on the browser or device, the download may be in the lower left corner or elsewhere.

HOME ABOUT US NEWS & MEDIA PRODUCTS MARKETS APPLICATIONS SUSTAINABILITY WORLDWIDE CONTACT

## Concentric Hydraulic Product Configurator

Concentric Rockford

Selectable products: 1

PN Part Number	G1104A1A100N00	🔒
MFO Mounting Flange Options	4-Bolt w/1.78" Pilot	🔒
SO Shaft Options	0.171" Tang w/ Short Coupling (.5" long) (For DC motors)	🔒
GS Gear Size Width	0.125	Inch
DIS Displacement	0.065 (1.07)	Cu. In./Rev. (cc)
VO Valve Options	No Valves	🔒
SBO Seals & Bearings Options	Single Lip Buna-N Low Pressure Seal	🔒
PLO Port Location Options	SAE Side Ports	🔒
RO Rotation Options	Clockwise	🔒
NOTE Port Location Note	-	🔒
RVS Relief Valve Setting	No Relief	🔒
SVL Solenoid Valve Location	No Solenoid Valve	🔒
SVV Solenoid Valve Voltage	No Solenoid Valve Cavity	🔒
QSPN Quick Ship Part Number	N/A	🔒

Generate CAD    Generate PDF datasheet

G1104A1A100N00 (CAD)

Download    Information    Delete

CONCENTRIC\_G11...zip  
80.0/849 KB, 48 sec left



## 7. To generate a PDF datasheet, click on the Generate PDF Datasheet button.

HOME ABOUT US NEWS & MEDIA PRODUCTS MARKETS APPLICATIONS SUSTAINABILITY WORLDWIDE CONTACT

### Concentric Hydraulic Product Configurator

Concentric Rockford

Selectable products: 1

PN Part Number	G1104A1A100N00	🔒
MFO Mounting Flange Options	4-Bolt w/1.78" Pilot	▼
SO Shaft Options	0.171" Tang w/ Short Coupling (.5" long) (For DC motors)	▼
GS Gear Size Width	0.125	▼ Inch
DIS Displacement	0.065 (1.07)	Cu. In./Rev. (cc) 🔒
VO Valve Options	No Valves	▼
SBO Seals & Bearings Options	Single Lip Buna-N Low Pressure Seal	▼
PLO Port Location Options	SAE Side Ports	▼
RO Rotation Options	Clockwise	▼
NOTE Port Location Note	-	🔒
RVS Relief Valve Setting	No Relief	▼ 🔒
SVL Solenoid Valve Location	No Solenoid Valve	▼ 🔒
SVV Solenoid Valve Voltage	No Solenoid Valve Cavity	▼ 🔒
QSPN Quick Ship Part Number	N/A	🔒

Generate CAD

Generate PDF datasheet

You have currently no CAD models available for download or mail delivery.

🔒

7A. Download the PDF datasheet the same way as with the CAD models by then clicking the Download button. It will show up in a zip folder the same way as the CAD models.

HOME ABOUT US NEWS & MEDIA PRODUCTS MARKETS APPLICATIONS SUSTAINABILITY WORLDWIDE CONTACT

## Concentric Hydraulic Product Configurator

Concentric Rockford

Selectable products: 1

PN Part Number	G1104A1A100N00	
MFO Mounting Flange Options	4-Bolt w/1.78" Pilot	
SO Shaft Options	0.171" Tang w/ Short Coupling (.5" long) (For DC motors)	
GS Gear Size Width	0.125	Inch
DIS Displacement	0.065 (1.07)	Cu. In./Rev. (cc)
VO Valve Options	No Valves	
SBO Seats & Bearings Options	Single Lip Buna-N Low Pressure Seal	
PLO Port Location Options	SAE Side Ports	
RO Rotation Options	Clockwise	
NOTE Port Location Note	-	
RVS Relief Valve Setting	No Relief	
SVL Solenoid Valve Location	No Solenoid Valve	
SWV Solenoid Valve Voltage	No Solenoid Valve Cavity	
QSPN Quick Ship Part Number	N/A	

Generate CAD    Generate PDF datasheet

G1104A1A100N00 (PDF)

[Download](#)    Information

CONCENTRIC\_G11....zip  
55673.997 KB, 3 mins left

CONCENTRIC\_G11....zip

8. To navigate to other product groups, select the back arrow or home button at the top of the screen. You will have to login each session, unless you click Remember Me at the login page.

HOME ABOUT US NEWS & MEDIA PRODUCTS MARKETS APPLICATIONS SUSTAINABILITY WORLDWIDE CONTACT

### Concentric Hydraulic Product Configurator

Selectable products: 1

PN Part Number	G1104A1A100N00	Lock
MFO Mounting Flange Options	4-Bolt w/1.78" Pilot	Lock
SO Shaft Options	0.171" Tang w/ Short Coupling (.5" long) (For DC motors)	Lock
GS Gear Size Width	0.125	Inch
DIS Displacement	0.065 (1.07)	Cu. In./Rev. (cc)
VO Valve Options	No Valves	Lock
SBO Seats & Bearings Options	Single Lip Buna-N Low Pressure Seal	Lock
PLO Port Location Options	SAE Side Ports	Lock
RO Rotation Options	Clockwise	Lock
NOTE Port Location Note	-	Lock
RVS Relief Valve Setting	No Relief	Lock
SVL Solenoid Valve Location	No Solenoid Valve	Lock
SVV Solenoid Valve Voltage	No Solenoid Valve Cavity	Lock
QSPN Quick Ship Part Number	N/A	Lock

Generate CAD    Generate PDF datasheet

G1104A1A100N00 (PDF)

Download    Information

If you have any questions on how to use the Concentric Hydraulic Product Configurator, contact your Concentric representative.

Concentric Rockford Inc.  
2222 15<sup>th</sup> Street, Rockford, IL  
61104, USA

Tel: 1-815-398-4400  
Toll free: 1-800-572-7867  
Fax: 1-815-398-5977  
E-mail: [info.usro@concentricab.com](mailto:info.usro@concentricab.com)  
URL: [www.concentricAB.com](http://www.concentricAB.com)